

Details: Miami/Dade: Notice of Acceptance

VBUCK® extrusions have been accepted by the Miami/Dade Building Code Compliance Office (BCCO), Product Control Division. The extruders of VBUCK® meet the AAMA Certification Program requirements and VBUCK® is approved for the following ASTM tests.

Description: The approved White Rigid PVC Exterior Extrusions for Doors and Windows are to be produced by Extruders Licensees in “AAMA Certification Programs for rigid PVC Extrusions”. The extrusions shall meet ASTM D 4276

Description	Test	Properties
Rate of Burning	ASTM D-635	Class C1
Self Ignition Temperature	ASTM D-1929	925° F > 650
Average Smoke Density Rating	ASTM D-2843	43% < 75
Flame Spread Index	ASTM D-84	26.2 < 75
Tensile Strength (Difference: * Exposed & Unexposed)	ASTM D-638	4.98% < 10
*Exposed per section 2605.2 of The Florida Building Code		

NOA No: 06-0705-03

Expiration Date: September 7, 2011

Approval Date: September 7, 2006

VBUCK®

U.S. PAT. 5,996,293 & 6,070,375
Canadian PAT. 2,255,256

www.vbuck.com

Office: 435-752-8453 • FAX: 435-750-6948 • Toll Free: 888-57-VBUCK (578-2825)